

SILCA NEWS

ALL THE NEW KEYS, AUTOMOTIVE SOLUTIONS, KEY CUTTING
MACHINES, SOFTWARE UPDATES AND MUCH MORE

2023
MARCH

NR.
03









NETWORK WITH US








Silca key blanks are compatible with third party manufacturers' cylinders specified here below:

BURG*	CISA*	GIUSSANI*	
 11 5  BUR29R  8 052782 030128 Box of 50	 P468 6  CS185AP "Astral" System  8 052782 031163 Box of 25	 1820  GS18  8 052782 031613 Box of 100	BURG* (DE) CISA* (IT) GIUSSANI* (IT) KALE* (TR) MUL.T.LOCK* (IL) SECUREMME* (IT)
KALE*	MUL.T.LOCK*	SECUREMME*	
 1026  KLE12R  8 052782 030937 Box of 50	 P344  MTK21RP  8 052782 029689 Box of 25	 1549  SCM5R Orig. code: EVOK1  8 052782 033044 Box of 50	(*) This is a trademark of a third party not affiliated nor linked with Silca S.p.A. or the dormakaba Group. Silca S.p.A. and dormakaba Group do not own any intellectual property right nor have been granted any license with regard to such trademark, which is hereby used only to indicate the intended purpose of Silca's products.



Silca key blanks are compatible with third party manufacturers' cylinders specified here below:

TOK WINKHAUS*	WILKA*	
 824 5  TO134X 8 052782 030883 Box of 50	 1664 5  WK88 Orig. code: W235 8 052782 030135 Box of 50	 1664 5  WK101R Orig. code: ZL53 8 052782 030111 Box of 50

TOK-WINKHAUS* (DE)

WILKA* (DE)

(*) This is a trademark of a third party not affiliated nor linked with Silca S.p.A. or the dormakaba Group. Silca S.p.A. and dormakaba Group do not own any intellectual property right nor have been granted any license with regard to such trademark, which is hereby used only to indicate the intended purpose of Silca's products.



UPDATE YOUR SMART PRO NOW!

Data update with new vehicle applications / Aggiornamento dati con nuove applicazioni veicolo / Datenaktualisierung mit neuen Fahrzeug-Anwendungen / Mise à jour des données avec des nouvelles applications de véhicules / Actualización de datos con nuevas aplicaciones de vehículos / Atualização de dados com novas aplicações de veículos

Silca Advanced Diagnostics software to program car keys compatible with third party makes and models specified below:

REGION	MAKE*	MODEL*	START YEAR	END YEAR	KEY TYPE	SW MODULE
Europe	Lexus*	RX450h*	2019	2023	PROX	ADS2328
Europe	Toyota*	Mirai*	2015	2020	PROX	ADS2227
Asia	Hino*	Dutro*	2011	2023	BLADE	ADS2125
Asia	Suzuki*	Escudo*	2005	2008	PROX-SLOT	ADS2163
Australia	Hyundai*	Palisade*	2020	2021	PROX	ADS2321
Australia	Hyundai*	i30*	2020	2023	PROX	ADS2321
Australia	Renault*	Master*	2020	2023	BLADE	ADS2325
Australia	Citroën*	C4 Aircross*	2012	2014	PROX	ADS2281
Middle East	Chevrolet*	Tahoe*	2020	2023	PROX	ADS2290
Middle East	Toyota*	C-HR*	2019	2023	PROX	ADS2227
New Zealand	Toyota*	Hiace*	2015	2023	BLADE	ADS2174
USA	GMC*	Terrain*	2022	2022	PROX	ADS2290
USA	Maserati*	Quattroporte*	2018	2018	PROX	ADS2291

(*) This is a trademark of a third party not affiliated nor linked with Silca S.p.A. or the dormakaba Group. Silca S.p.A. and dormakaba Group do not own any intellectual property right nor have been granted any license with regard to such trademark, which is hereby used only to indicate the intended purpose of Silca's products.



Air4

Remotes Programming Software
New OEM Procedures



NEW

OEM PROCEDURES NOW AVAILABLE - The Air4 Programming Software has been updated to include many of the most common OEM procedures. The procedures are available to both view and print making creation of a new remote with Silca Air4 even easier.

DISPONIBILITÀ PROCEDURE OEM

Con Air4 Programming Software è possibile visualizzare e stampare le più comuni procedure OEM del radiocomando nella centralina.

OEM-VERFAHREN JETZT VERFÜGBAR

Die Air4 Programming Software wurde aktualisiert und enthält nun viele der gängigsten OEM-Verfahren. Die Verfahren können sowohl angezeigt als auch ausgedruckt werden.

PROCÉDURES OEM DISPONIBLES

Le Air4 Programming Software a été mis à jour pour inclure la plupart des procédures OEM les plus courantes. Les procédures sont disponibles à l'affichage et imprimables.

PROCEDIMIENTOS OEM DISPONIBLES

Air4 Programming Software ha sido actualizado para incluir muchos de los procedimientos OEM más comunes. Disponibles tanto para visualizar como para imprimir.

PROCEDIMIENTOS OEM DISPONÍVEIS

O Air4 Programming Software foi atualizado para incluir muitos dos procedimentos OEM mais comuns. Os procedimentos estão disponíveis tanto para visualização como para impressão.

Copy remote



Place the Air4 Plus remote on the copy area of the Easy Scan Plus as indicated in the illustration
Wait 6 to 7 seconds and then press the button 'write Air 4 Plus'
Don't press any other buttons on the Silca remote during this procedure

In order to copy this combination of remote controls you must use:

- Air4V Plus 128 (Orange led)
- Air4V Plus EU (Green led)

Copy remote



Result

Button 1 : NORMSTAHL 2 Learning OEM

Copy successful. Save

Place the remote on the copy area
Wait 6 to 7 seconds and then press the button 'write Air 4 Plus'
Don't press any other buttons on the Silca remote during this procedure

In order to copy this combination of remote controls you must use:

- Air4V Plus 128 (Orange led)
- Air4V Plus EU (Green led)



80 NEW APPLICATIONS

The Air4 range coverage has been widened to include over 80 new original remotes. Discover all the applications in the catalogue section of MYKEYS Pro.

80 NUOVE APPLICAZIONI

Si amplia la gamma di copertura dei radiocomandi originali con più di 80 nuovi modelli. Scopri tutte le applicazioni nella sezione "catalogo" di MYKEYS Pro.

80 NEUE ANWENDUNGEN

Das Air4-Sortiment wurde um über 80 neue Original-Fernbedienungen erweitert. Entdecken Sie alle Anwendungen im Katalogbereich von MYKEYS Pro.

80 NOUVELLES APPLICATIONS

La gamme Air4 a été élargie pour inclure plus de 80 nouvelles télécommandes originales. Découvrez toutes les applications dans la section catalogue de MYKEYS Pro.


80 NUEVAS APLICACIONES



La cobertura de la gama Air4 se ha ampliado para incluir más de 80 nuevos mandos originales. Descubra todas las aplicaciones en la sección de catálogo de MYKEYS Pro.

80 NOVAS APLICAÇÕES

A cobertura da gama Air4 foi alargada para incluir mais de 80 novos comandos originais. Descubra todas as aplicações na secção de catálogo do MYKEYS Pro.

Home | Guided Processes | **Catalogue** | Account | Plans and Pricing | FAQ | Pro Tips

 All Keys
  Residential Remotes
  Vehicle Keys
  Smart Locks

 Complementary Products
  Machines
  Smart Locks
  Optional and Cutters
  User Collections



MYKEYS Pro

Home | Guided Processes | **Catalogue** | Account | Plans and Pricing

← Residential Remotes

Select a field to search by

Sort by Reference Code (Low - High)

Brand

Type the brand name e.g. FAAC

NICE

Search

BIO BTK 27120 27.12 AM NICE	BIO BTK 30875 30.875 AM NICE	BIO BTK 40685 40.685 AM NICE	EASY S 306 AM NICE
EASY-K 30875 30.875 AM NICE	EASY-KM 40.685 AM NICE	EASY-KM 27120 27.12 AM NICE	EASY-KM 30875 30.875 AM NICE

> More info at mykeyspro.com



SKP PRO 1/2023 for Web Subscribers

New cutting cards and series / Nuove schede e serie / Neue Karten und Serien / Nouvelles fiches et séries / Nuevas fichas y series / Novas fichas e séries

SKP PRO 1/2023 - v. 31.4.0.x - Web Update

TRIAx PROGRAM	
Lock Manufacturer*	System*
ABUS*	Abus* D6 Basic
ABUS*	Abus* D66
ABUS*	Abus* D6PS CK
ABUS* 	Abus* Integral Pro (Long Neck)
ABUS* 	Abus* Integral Pro (Short Neck)
ASSA*	Triton* 2 (Side Code)
CL*	CL4* (2T-6W)
CVL*	CVL* J6 (6+5)
DOM* 	Dom* HQ2 (Prf.325)
DOM* 	Dom* TwinTec (Prf. 327)
DOM* 	Dom* TwinTec (Prf. 327; 328; 329; 330)
DOM* 	Dom* TwinTec (Prf. 328)
DOM* 	Dom* TwinTec (Prf. 329)
DOM* 	Dom* TwinTec (Prf. 330)
IFAM* 	Platinum* WX - IRIDIUM WX

TRIAx PROGRAM	
Lock Manufacturer*	System*
ISEO* 	Iseo* R700
ISEO* 	Iseo* R700 Cantiere
ISEO* 	Iseo* R700 S3
LINCE* 	Lince* YX
PREFER*	C2C* (5+5)
WURTH*	W6X*


CODE PROGRAM	
Lock Manufacturer*	System*
ABUS*	B5*
ABUS*	E50*
ASSA ABLOY*	Triton 2*
AXA*	-
FAB* NG	FAB* MKS*
WURTH*	W30*

(*) This is a trademark of a third party not affiliated nor linked with Silca S.p.A. or the dormakaba Group. Silca S.p.A. and dormakaba Group do not own any intellectual property right nor have been granted any license with regard to such trademark, which is hereby used only to indicate the intended purpose of Silca's products.

> More info on [all Silca websites](#)

Silca keys blanks are compatible with third-parties manufacturers cylinder specified here below:

ABUS* (DE)



(EC880 System)

Codes tables protected by a password issued by Silca on receipt of authorization.


Tabelle codici protette da password rilasciata da Silca a fronte di autorizzazione.

Code-Tabellen geschützt durch von Silca geliefertes Pas-sword auf Herstellersgenehmigung.

Tables de codes protégées par un password qui est émis par Silca sur autorisation.

Tablas códigos protegidos con contraseña que manda Silca previa autorización.

Tabelas de códigos protegidas por uma password emitida por Silca contra a autorização.



FUTURA PRO
FUTURA
≥ SW 3.40.0



TRIAx PRO
≥ SW 3.0.036 DB 59.00



OPTIONAL



D7A6764ZB


142 Jaw
Ganascia 142
142 Backe
Mâchoire 142
Quijada 142
Garra 142

STANDARD



D943254ZR

02J Jaw
Ganascia 02J
02J Backe
Mâchoire 02J
Quijada 02J
Garra 02J



OPTIONAL



D744355ZB

Cutter 07D
Fresa 07D
Fräser 07D
Fraise 07D
Fresa 07D
Fresa 07D



OPTIONAL



D7A6764ZB


142 Jaw
Ganascia 142
142 Backe
Mâchoire 142
Quijada 142
Garra 142

STANDARD



D943254ZR

02J Jaw
Ganascia 02J
02J Backe
Mâchoire 02J
Quijada 02J
Garra 02J



OPTIONAL




D710776ZB

Cutter W205 (carbide)
Fresa W205 (metal duro)
Fräser W205 (Hartmetall)
Fraise W205 (au carbure)
Fresa W205 (metal duro)
Fresa W205 (metal duro)

(*) This is a trademark of a third party not affiliated nor linked with Silca S.p.A. or the dormakaba Group. Silca S.p.A. and dormakaba Group do not own any intellectual property right nor have been granted any license with regard to such trademark, which is hereby used only to indicate the intended purpose of Silca's products.

> More info at mykeyspro.com

ABUS* (DE)



(EC880 System)

Codes tables protected by a password issued by Silca on receipt of authorization.

Tabelle codici protette da password rilasciata da Silca a fronte di autorizzazione.

Code-Tabellen geschützt durch von Silca geliefertes Pas-word auf Herstellersgenehmigung.

Tables de codes protégées par un password qui est émis par Silca sur autorisation.

Tablas codigos protegidos con contraseña que manda Silca previa autorización.

Tabelas de códigos protegidas por uma password emitida por Silca contra a autorização.



TRIAX QUATTRO
≥ SW 1.4.072 DB 59.00



TRIAX-e.code
≥ SW 5.4.099 DB 59.00

NEW

OPTIONAL D7A6764ZB

• CODE

◊ COPY


142 Jaw
Ganascia 142
142 Backe
Mâchoire 142
Quijada 142
Garra 142

OPTIONAL D943254ZR

• CODE

◊ COPY

02J Jaw
Ganascia 02J
02J Backe
Mâchoire 02J
Quijada 02J
Garra 02J




OPTIONAL



D710776ZB

Cutter W205 (carbide)
Fresa W205 (metal duro)
Fräser W205 (Hartmetall)
Fraise W205 (au carbure)
Fresa W205 (metal duro)
Fresa W205 (metal duro)


CYBER LOCK* (AUS)



RC26R

RC26RP

(CL4 System)



FUTURA PRO
FUTURA
≥ SW 3.40.0

OPTIONAL D7A6753ZB

• CODE

◊ COPY


145 Jaw
Ganascia 145
145 Backe
Mâchoire 145
Quijada 145
Garra 145

OPTIONAL D7A6754ZB

• CODE

◊ COPY

141 Jaw
Ganascia 141
141 Backe
Mâchoire 141
Quijada 141
Garra 141



OPTIONAL




D743671ZB

Cutter 02L
Fresa 02L
Fräser 02L
Fraise 02L
Fresa 02L
Fresa 02L

NEW

CYBER LOCK* (AUS)



RC26R RC26RP

(CL4 System)



TRIAx PRO
≥ SW 3.0.036 DB 59.00



TRIAx QUATTRO
≥ SW 1.4.072 DB 59.00



TRIAx-e.code
≥ SW 5.4.099 DB 59.00

OPTIONAL

• CODE

◊ COPY

D7A6753ZB

145 Jaw
Ganascia 145
145 Backe
Mâchoire 145
Quijada 145
Garra 145


OPTIONAL

• CODE

◊ COPY

D7A6754ZB

141 Jaw
Ganascia 141
141 Backe
Mâchoire 141
Quijada 141
Garra 141



OPTIONAL

D709481ZB

Cutter H114 (HSS)
Fresa H114 (HSS)
Fräser H114 (HSS)
Fraise H114 (HSS)
Fresa H114 (HSS)
Fresa H114 (HSS)



D709482ZB

Cutter W114 (carbide)
Fresa W114 (metallo duro)
Fräser W114 (Hartmetall)
Fraise W114 (au carbure)
Fresa W114 (metal duro)
Fresa W114 (metal duro)

OPTIONAL

• CODE

◊ COPY

D7A6753ZB

145 Jaw
Ganascia 145
145 Backe
Mâchoire 145
Quijada 145
Garra 145


OPTIONAL

• CODE

◊ COPY

D7A6754ZB

141 Jaw
Ganascia 141
141 Backe
Mâchoire 141
Quijada 141
Garra 141



OPTIONAL

D709481ZB


Cutter H114 (HSS)
Fresa H114 (HSS)
Fräser H114 (HSS)
Fraise H114 (HSS)
Fresa H114 (HSS)
Fresa H114 (HSS)



D709482ZB


Cutter W114 (carbide)
Fresa W114 (metallo duro)
Fräser W114 (Hartmetall)
Fraise W114 (au carbure)
Fresa W114 (metal duro)
Fresa W114 (metal duro)

KEYS WITH DOUBLE ASYMMETRICAL STOP



LF2 - LF16R - LF26 - LF43R

Example of popular references



UNOCODE F800
UNOCODE F900




UNOCODE F100
UNOCODE F400
UNOCODE F600

OPTIONAL



D7A6866ZB

Jaw set U27-L27
Set ganasce U27-L27
Satz Backen U27-L27
Ens.mâchoires U27-L27
Juego quijadas U27-L27
Conjunto de garras U27-L27




OPTIONAL



D7A6866ZB

Jaw set U27-L27
Set ganasce U27-L27
Satz Backen U27-L27
Ens.mâchoires U27-L27
Juego quijadas U27-L27
Conjunto de garras U27-L27



OPTIONAL



D7A3836ZB

V3 clamp
Morsetto V3
V3 Spannbacke
Etau V3
Mordaza V3
Mordente V3

